

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUN 24 1996  
 Returned to applicant for correction JUL 12 1996  
 Corrected application filed SEP 10 1996  
 Map filed SEP 10 1996 under 62256

\*\*\*\*\*

The applicant **ASAMERA MINERALS (U.S.) INC.**, hereby make application for permission to change the **POINT OF DIVERSION OF A PORTION OF PERMIT No. 61778** of water heretofore appropriated under **PERMIT No. 61778**

\*\*\*\*\*

1. The source of water is **UNDERGROUND**
2. The amount of water to be changed **0.5 CFS**
3. The water to be used for **QUASI MUNICIPAL (INDUSTRIAL)**
4. The water heretofore permitted for **QUASI MUNICIPAL (INDUSTRIAL)**
5. The water is to be diverted at the following point **SE¼ NE¼ SEC. 1 T.19N, R.22E MDM OR AT A POINT FROM WHICH THE NORTHEAST CORNER OF SECTION 1 T.19N, R.22E MDM BEARS N 01°16'31" E A DISTANCE OF 1,814.41 FEET.**
6. The existing permitted point of diversion is located within **NE¼ SW¼ SEC. 32 T.20N, R.22E MDM OR AT A POINT FROM WHICH THE SOUTHWEST CORNER OF SECTION 32 T.20N, R.22E MDM BEARS S 47°22'16" W A DISTANCE OF 3,376.06' FEET.**
7. Proposed place of use **SAME AS EXISTING PLACE OF USE.**
8. Existing place of use **SW¼ SEC. 32 LYING SOUTH OF THE SOUTHERN PACIFIC RAILROAD, S¼ OF THE SE¼ SEC. 32, S¼ OF SEC. 33, S¼ SEC. 34, SEC. 36 T.20N, R.22E MDM AND SECTIONS 1, 2, 3, 4, 5, 9, 10, 11, 12, 13, 14, 15, 16, N¼ SEC. 23 AND N¼ SEC. 24 T.19N R.22E MDM, AND THE S¼ SEC. 29, S¼ SEC. 30, SEC. 31 AND 32 T.20N, R.23E MDM AND SECTIONS 5, 6, 7, 8, W¼ SEC. 9, W¼ SEC. 16, SEC. 17, 18, 19, 20, 21, AND THE W¼ SEC. 22 T.19N, R.23E MDM.**
9. Use will be from **JANUARY 1 to DECEMBER 31** of each year.
10. Use was permitted from **JANUARY 1 to DECEMBER 31** of each year.
11. Description of proposed works **COMPLETE WELL, INSTALL PUMP, MOTOR DISTRIBUTION PIPES AND MAINS, AND STORAGE TANK.**
12. Estimated cost of works **\$150,000.00**
13. Estimated time required to construct works **TWO YEARS**
14. Estimated time required to complete the application of water to beneficial use **TEN YEARS**
15. Remarks: **FOR THE USE OF SERVING AN INDUSTRIAL, COMMERCIAL AND WAREHOUSE COMPLEX AND OTHER USES WITHIN THE SAME PLACE OF USE. DEMAND IS ESTIMATED AT 0.5 CFS. USE APPLICATION No. 61778 FOR EXISTING PLACE OF USE AND POINT OF DIVERSION.**

By **s/George J. Georgeson**  
**P.O. Box 7475**  
**Reno, NV. 89510**

Compared cms/bk cl/cms

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of a portion of the waters of an underground source as heretofore granted under Permit 61778 is issued subject to the terms and conditions imposed in said Permit 61778 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 61778, 62256, 62257, 62258, 62260, 62261, 62262 and 62263 shall not exceed 1,910.0 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.5 cubic feet per second, but not to exceed 206.25 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

June 26, 1999

Proof of completion of work shall be filed before:

July 26, 1999

Application of water to beneficial use shall be filed on or before:

June 26, 2002

Proof of the application of water to beneficial use shall be filed on or before:

July 26, 2002


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,  
State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 26th day of June, A.D. 1997

  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_